


High Precision Tools for Jewellery Industry




Long Life
Excellent surface finish
Smear free machined surface
Suitable for high speed cutting



www.axis-microtools.com



QUALITY • PRECISION • CONSISTENCY




IND - SPHINX PRECISION LTD (Unit B)
 1 Taksal Road Parwanoo - Kasauli Marg
 Parwanoo Himachal Pradesh India 173220
 ☎ +91 1792 234460 / 232860 ☎ +91 1792 232898
 ✉ info@axis-microtools.com 🌐 www.axis-microtools.com



AXIS Europe GmbH
 Danziger Str. 3, 88250 Weingarten
 ☎ +49 (0)751 560 1589 - 0
 ✉ info@axis-europe.eu 🌐 www.axis-europe.eu

AXIS[®]
 Tools for mICRO mACHINING

																					
	Micro Drill	INDrill Universal	Micro Reamer	Spade Drill	Halfmoon Drill	NC Pointing Drills	Helical Engraver	Spyra mill	Engraver	1F Endmill	2F Square Endmills	2F Square Endmills with CR	4F Square Endmills	2 Flute Conical Endmills	Ballnose Endmills	3 Flute Ballnose Endmills	Taper Ballnose Endmills	Taper Endmills	T Slot Concave Cutter	T Slot Cutter	T Slot Cutter
Article	T6981	T6961	R9021	T2001	T9801	T5801	G8451	G8011	G8471	E9231	E9661	E9301	E9671	E9651	B9701	B9731	B9531	E9501	F4041	F4021	F4011
Dia Range	0.05 - 1.50	0.020 - 3.00	0.10 - 0.70	0.10 - 3.00	0.07 - 1.00	0.050 - 3.00	2.00/2.40/3.00	0.10 - 2.00	0.03 -1.00	0.10 - 3.00	0.080 - 3.00	0.50 - 3.00	0.20 - 3.00	0.30 - 3.00	0.10 - 3.00	0.20 - 8.00	0.50 - 3.00	0.10 - 3.00	1.50 - 3.00	1.50 - 3.00	1.50 - 3.00
Shank Dia	1.00 - 1.50	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00 - 8.00	3.00	3.00	3.00	3.00	3.00
Overall Length	25	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
Other Parameters							90° / 120° Tip Angle 30° / 45°/ 60° / 90°/120°		Tip Angle 30° / 45°/ 60° / 90°/120°					50° / 80°							



Inner Radius Cutter



Chamfering Cutter



Engraver Reinforced



Titanium



Platinum




Gold




Diamond Setting




Wax Milling



Back Chamfering tool



Form Tool



T Slot Convex Cutter

